


**RECEIVED
CENTRAL FAX CENTER****MAR 10 2006**

CLARK & BRODY
1090 Vermont Ave. N.W.
Suite 250
Washington, D.C. 20005
Telephone: (202) 835-1111
Telecopy: (202) 835-1755

FACSIMILE TRANSMITTAL SHEET**PLEASE DELIVER TO: USPTO****FACSIMILE NUMBER: 703-872-9306****SENDER:** Conrad Clark**DATE:** March 10, 2006**CLIENT NO.** 70869-113; **SERIAL NO.** 10/629,825**NUMBER OF PAGES (INCLUDING COVER PAGE):** 34 u**COMMENTS:**

I hereby certify that the attached Amendment is being sent to the USPTO at the above number by facsimile on the noted date.



Conrad J. Clark

If not all pages are received, please contact *Tracy Boyden* at (202) 835-1111.

Only the individual or entity to which it is addressed may use this information. It may contain information that is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to its intended recipient, you are herewith notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone immediately and return this communication to us at the above address via the United States Postal Service. Thank you.

**RECEIVED
CENTRAL FAX CENTER****MAR 10 2006****IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:)
)
Ellsworth et al.)
) Art Unit: 3746
Serial No.: 10/629,825)
) Examiner: Cooley
Filed: July 30, 2003)
)
For: DECANTING CENTRIFUGE WITH)
VIBRATION ISOLATION)

RENEWED PETITION PURSUANT TO 37 C.F.R. 1.78(3) AND AMENDMENT

Hon. Commissioner for Patents
Alexandria, Virginia 22313-1450

SIR:

Applicant's hereby petition the Commissioner for entry of an unintentionally delayed claim for priority and entry of cross-reference information as set forth on page 2 herein.